

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	2209	257/666.ccls.	US-PGPUB; USPAT; USOCR
2	BRS	L2	1517	257/676.ccls.	US-PGPUB; USPAT; USOCR
3	BRS	L3	1509	257/777.ccls.	US-PGPUB; USPAT; USOCR
4	BRS	L4	1801	257/723.ccls.	US-PGPUB; USPAT; USOCR
5	BRS	L5	1625	257/784.ccls.	US-PGPUB; USPAT; USOCR
6	BRS	L6	1767	257/686.ccls.	US-PGPUB; USPAT; USOCR
7	BRS	L8	22	L2 and leadframe and (pad or support) and (overhang or protruded or displaced)	US-PGPUB; USPAT; USOCR
8	BRS	L9	8	L3 and leadframe and (pad or support) and (overhang or protruded or displaced)	US-PGPUB; USPAT; USOCR

	Type	L #	Hits	Search Text	DBs
9	BRS	L10	2	L4 and leadframe and (pad or support) and (overhang or protruded or displaced)	US-PGPUB; USPAT; USOCR
10	BRS	L11	6	L6 and leadframe and (pad or support) and (overhang or protruded or displaced)	US-PGPUB; USPAT; USOCR
11	BRS	L16	39	L1 and leadframe and (pad or support) and (overhang or protruded or displaced)	US-PGPUB; USPAT; USOCR
12	BRS	L17	1756	257/666.ccls.	EPO; JPO; DERWENT; IBM_TDB
13	BRS	L18	134	257/777.ccls.	EPO; JPO; DERWENT; IBM_TDB
14	BRS	L19	217	257/686.ccls.	EPO; JPO; DERWENT; IBM_TDB
15	BRS	L20	429	257/723.ccls.	EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
16	BRS	L7	31	L1 and leadframe and (pad or support) and (overhang or protruded or displaced)	US-PGPUB; USPAT; USOCR
17	BRS	L15	26	L2 and leadframe and (pad or support) and (overhang or protruded or displaced)	US-PGPUB; USPAT; USOCR
18	BRS	L14	10	L3 and leadframe and (pad or support) and (overhang or protruded or displaced)	US-PGPUB; USPAT; USOCR
19	BRS	L13	3	L4 and leadframe and (pad or support) and (overhang or protruded or displaced)	US-PGPUB; USPAT; USOCR
20	BRS	L12	7	L6 and leadframe and (pad or support) and (overhang or protruded or displaced)	US-PGPUB; USPAT; USOCR

	Type	L #	Hits	Search Text	DBs
21	BRS	L22	591	((pad or support) and (overhang or protruded or displaced) and first and second and (lead or terminal or pad)).clm.	US-PGPUB
22	BRS	L21	1	(leadframe and (pad or support) and (overhang or protruded or displaced) and first and second and (lead or terminal or pad)).clm.	US-PGPUB
23	BRS	L23	46	((pad or support) and (overhang or protruded or displaced) and first and second and (lead or terminal or pad) and (resin or encapsula\$2)).clm	US-PGPUB